

Packer lateral			
	item number	article	diameter
	2560300	HD Packer lateral NW 25-60 mm, length 300 mm	24 mm
	2560500	HD Packer lateral NW 25-60 mm, length 500 mm	24 mm
	25601000	HD Packer lateral NW 25-60 mm, length 1000 mm	24 mm
	30100500	HD Packer lateral NW 30-100 mm, length 500 mm	29 mm
	301001000	HD Packer lateral NW 30-100 mm, length 1000 mm	29 mm
	301001500	HD Packer lateral NW 30-100 mm, length 1500 mm	29 mm
	301002000	HD Packer lateral NW 30-100 mm, length 2000 mm	29 mm
	50150600	HD Packer lateral NW 50-150 mm, length 600 mm	45 mm
	501501000	HD Packer lateral NW 50-150 mm, length 1000 mm	45 mm
	501501500	HD Packer lateral NW 50-150 mm, length 1500 mm	45 mm
	501502000	HD Packer lateral NW 50-150 mm, length 2000 mm	45 mm
	501502500	HD Packer lateral NW 50-150 mm, length 2500 mm	45 mm
	501503000	HD Packer lateral NW 50-150 mm, length 3000 mm	45 mm
	501503500	HD Packer lateral NW 50-150 mm, length 3500 mm	45 mm
	501504000	HD Packer lateral NW 50-150 mm, length 4000 mm	45 mm
	501505000	HD Packer lateral NW 50-150 mm, length 5000 mm	45 mm
	70200600	HD Packer lateral NW 70-200 mm, length 600 mm	61 mm
	702001000	HD Packer lateral NW 70-200 mm, length 1000 mm	61 mm
	702001500	HD Packer lateral NW 70-200 mm, length 1500 mm	61 mm
	702002000	HD Packer lateral NW 70-200 mm, length 2000 mm	61 mm
	702002500	HD Packer lateral NW 70-200 mm, length 2500 mm	61 mm
	702003000	HD Packer lateral NW 70-200 mm, length 3000 mm	61 mm
	702003500	HD Packer lateral NW 70-200 mm, length 3500 mm	61 mm
	702004000	HD Packer lateral NW 70-200 mm, length 4000 mm	61 mm
	702005000	HD Packer lateral NW 70-200 mm, length 5000 mm	61 mm
	1002501000	HD Packer lateral NW 100-250 mm, length 1000 mm	75 mm
	1002501500	HD Packer lateral NW 100-250 mm, length 1500 mm	75 mm
	1002502000	HD Packer lateral NW 100-250 mm, length 2000 mm	75 mm
	1002503000	HD Packer lateral NW 100-250 mm, length 3000 mm	75 mm
	1002504000	HD Packer lateral NW 100-250 mm, length 4000 mm	75 mm
	1002505000	HD Packer lateral NW 100-250 mm, length 5000 mm	75 mm
	1253001000	HD Packer lateral NW 125-300 mm, length 1000 mm	99 mm
	1253001500	HD Packer lateral NW 125-300 mm, length 1500 mm	99 mm

	1253002000	HD Packer lateral NW 125-300 mm, length 2000 mm	99 mm
	1253003000	HD Packer lateral NW 125-300 mm, length 3000 mm	99 mm
	1253004000	HD Packer lateral NW 125-300 mm, length 4000 mm	99 mm
	2005001500	HD Packer lateral NW 200-500 mm, length 1500 mm	164 mm
	2005002000	HD Packer lateral NW 200-500 mm, length 2000 mm	164 mm
	2005003000	HD Packer lateral NW 200-500 mm, length 3000 mm	164 mm
	3008002000	HD Packer lateral NW 300-800 mm, length 2000 mm	262 mm
	3008002500	HD Packer lateral NW 300-800 mm, length 2500 mm	262 mm
	3008003000	HD Packer lateral NW 300-800 mm, length 3000 mm	262 mm
	40010002000	HD Packer lateral NW 400-1000 mm, length 2000 mm	343 mm
	40010002500	HD Packer lateral NW 400-1000 mm, length 2500 mm	343 mm
	40010003000	HD Packer lateral NW 400-1000 mm, length 3000 mm	343 mm
	FWK 200500	landing gear for packer 200-500	
	FWK4001000	landing gear for packer 400-1000 / 300-800	
	FW100150	SET landing gear DN 100-150	

bendy packer			
	item number	article	diameter
	BP40	HD bendy packer NW 40 mm, length 350 mm	23 mm
	BP50	HD bendy packer NW 50 mm, length 350 mm	29 mm
	BP70	HD bendy packer NW 70 mm length 550 mm	34 mm
	BP70100600	HD bendy packer NW 70-100 mm, length 600 mm	45 mm
	BP70100800	HD bendy packer NW 70-100 mm, length 800 mm	45 mm
	BP701001500	HD bendy packer NW 70-100 mm, length 1500 mm	45 mm
	BP701002000	HD bendy packer NW 70-100 mm, length 2000 mm	45 mm
	BP100700	HD bendy packer NW 100 mm, length 700 mm	53 mm
	BP1001000	HD bendy packer NW 100 mm, length 1000 mm	53 mm
	BP1001500	HD bendy packer NW 100 mm, length 1500 mm	53 mm
	BP1002000	HD bendy packer NW 100 mm, length 2000 mm	53 mm
	BP100125800	HD bendy packer NW 100-125 mm, length 800 mm	61 mm
	BP1001251050	HD bendy packer NW 100-125 mm, length 1050 mm	61 mm
	BP1001251500	HD bendy packer NW 100-125 mm, length 1500 mm	61 mm
	BP1001252000	HD bendy packer NW 100-125 mm, length 2000 mm	61 mm
	BP10015001050	HD bendy packer NW 100-150 mm, length 1050 mm	76 mm
	BP10015001500	HD bendy packer NW 100-150 mm, length 1500 mm	76 mm

	BP10015002000	HD bendy packer NW 100-150 mm, length 2000 mm	76 mm
	BP1252001050	HD bendy packer NW 125-200 mm, length 1050 mm	84 mm
	BP1252001500	HD bendy packer NW 125-200 mm, length 1500 mm	84 mm
	BP1252002000	HD bendy packer NW 125-200 mm, length 2000 mm	84 mm
	BP1502301300	HD bendy packer NW 150-230 mm, length 1300 mm	94 mm
	BP2503002000	HD bendy packer NW 250-300 mm, length 2000 mm	163 mm
	BP450-600	HD bendy packer NW 450-600 mm, length 2000 mm	348 mm

HD TY-Ger t-and j junction packer

	item number	article	diameter
	HDTY-M100/125	HD T & Y junction packer TY-Ger NW 100-125 mm	46 mm
	HDTY-M125/150	HD T & Y junction packer TY-Ger NW 125-150 mm	64 mm


HD TY-Ger supply

	item number	article	radius
	HDTSM100125100/125/68	sleeve for main packer DN 100/125 mm	68°
	HDTSM125150/125/68	sleeve for main packer DN 125/150 mm 100/125	68°
	HDTSM125150/150/68	sleeve for main packer DN 125/150mm 125/150	68°
	HDTM100-150/100/68	HD TY-Ger cuff DN 100-150/100	68°
	HDTM100-150/125/68	HD TY-Ger cuff DN 100-150/125	68°
	HDTM100-150/150/68	HD TY-Ger cuff DN 100-150/150	68°

compressed air pressure case

	item number	article	
	PC2TYGER	air pressure case PC2 TY-Ger, mobile control	
	PC3	air pressure PC3 Packer, mobile control	

HD revision packer

	item number	article	diameter
	REV701251500	HD-Revisionspacker NW 70-125, length 1500 mm	42 mm
	REV701252000	HD-Revisionspacker NW 70-125, length 2000 mm	42 mm
	REV701253000	HD-Revisionspacker NW 70-125, length 3000 mm	42 mm
	REV1001501500	HD-Revisionspacker NW 100-150, length 1500 mm	55 mm
	REV1001502000	HD-Revisionspacker NW 100-150, length 2000 mm	55 mm
	REV1001503000	HD-Revisionspacker NW 100-150, length 3000 mm	55 mm



REV1252001500	HD-Revisionspacker NW 125-200, length 1500 mm	66 mm
REV1252002000	HD-Revisionspacker NW 125-200, length 2000 mm	66 mm
REV1252003000	HD-Revisionspacker NW 125-200, length 3000 mm	66 mm
REV1502501500	HD-Revisionspacker NW 150-250, length 1500 mm	90 mm
REV1502502000	HD-Revisionspacker NW 150-250, length 2000 mm	90 mm
REV1502503000	HD-Revisionspacker NW 150-250, length 3000 mm	90 mm

flow control bladder



item number	article	diameter
HD-ASB2560	flow control bladder NW 25-60 mm	24 mm
HD-ASB30100	flow control bladder NW 30-100 mm	30 mm
HD-ASB50150	flow control bladder NW 50-150 mm	45 mm
HD-ASB70200	flow control bladder NW 70-200 mm	61 mm
HD-ASB100250	flow control bladder NW 100-250 mm	75 mm
HD-ASB125300	flow control bladder NW 125-300 mm	99 mm
HD-ASB200500	flow control bladder NW 200-500 mm	164 mm
HD-ASB4001000	flow control bladder NW 400-1000 mm	262 mm

test bladder



item number	article	diameter
HD-ASBPB30100	test bladder NW 30-100 mm	30 mm
HD-ASBPB50150	test bladder NW 50-150 mm	45 mm
HD-ASBPB70200	test bladder NW 70-200 mm	61 mm
HD-ASBPB100250	test bladder NW 100-250 mm	75 mm
HD-ASBPB125300	test bladder NW 125-300 mm	99 mm
HD-ASBPB200500	test bladder NW 200-500 mm	164 mm

Supraflex-air push rods



item number	article	length
SFSH3m	SupraFlex air push rod DN70-125 AG 1/4"	3000 mm
SFSH4m	SupraFlex air push rod DN70-125 AG 1/4"	4000 mm
SFSH5m	SupraFlex air push rod DN70-125 AG 1/4"	5000 mm

air push rods			
	item number	article	NW
	HD-LSSUH050	air push rod 0,5 m	7,8
	HD-LSSUH100	air push rod 1,0 m	7,8
	HD-LSSUH150	air push rod 1,5 m	7,8
	HD-LSSUH200	air push rod 2,0 m	7,8
	HD-LSSUH300	air push rod 3,0 m	7,8
	HD-LSSUH400	air push rod 4,0 m	7,8

air push rod 6-edged			
	item number	article	NW
	HD-LSS6K050	air push rod 0,5 m	7,8
	HD-LSS6K100	air push rod 1,0 m	7,8
	HD-LSS6K150	air push rod 1,5 m	7,8
	HD-LSS6K200	air push rod 2,0 m	7,8
	HD-LSS6K300	air push rod 3,0 m	7,8
	HD-LSS6K400	air push rod 4,0 m	7,8

push assistance			
	item number	article	length
	HD-SH DN50 1/8 Zoll	push assistance 10 mm, 1/8" AG	10 m
	HD-SH DN100 SN	push assistance 14mm, plug nipple	10 m
	HD-SH DN50 1/8 Zoll	push assistance 10 mm, 1/8" AG	15 m
	HD-SH DN100 SN	push assistance 14mm, plug nipple	15 m
	HD-SH DN50 1/8 Zoll	push assistance 10 mm, 1/8" AG	20 m
	HD-SH DN100 SN	push assistance 14mm, plug nipple	20 m

compressed air hoses & regulators			
	item number	article	length
	SDN13SS2M	compressed air hose 2x plug nipple	2 m
	SDN13SS3M	compressed air hose 2x plug nipple	3 m
	SDN13SS5M	compressed air hose 2x plug nipple	5 m
	SDN13SS10M	compressed air hose 2x plug nipple	10 m
	SDN13SS20M	compressed air hose 2x plug nipple	20 m
	SDN13SK2M	compressed air hose 1x plug nipple, 1x coupling	2 m


	SDN13SK3M	compressed air hose 1x plug nipple, 1x coupling	3 m
	SDN13SK5M	compressed air hose 1x plug nipple, 1x coupling	5 m
	SDN13SK10M	compressed air hose 1x plug nipple, 1x coupling	10 m
	SDN13SK20M	compressed air hose 1x plug nipple, 1x coupling	20 m
	DRSET	pressure regulator 1/4 Zoll, 0-6 bar	-

flex adapter			
	item number	article	
	Flexadapter IGAG	flex adapter IG and AG 1/4 "	
	Flexadapter 6KAG	flex adapter with safetycoupling 6-edged coded & AG 1/4 "	
	Flexadapter standard	flex adapter with safetycoupling, plug nipple	
	Flexadapter SKAG	flex adapter with safetycoupling & AG 1/4 "	
	Flexadapter SNAG	flex adapter with plug & AG 1/4 "	
	Flexadapter SKSN6K	flex adapter with safetycoupling, plug nipple 6-edged	
	Flexadapter SK6KSN6K	Flexadater with safetycoupling 6-edged, plug nipple 6-edged	

quick coupling & supply			
	item number	article	
	G1/4"RÖM8	G 1/4" auf M8 with width flat and ring eyelet	
	SVKDN7,2-1/4"AG	quick coupling with manual safety fuse, 1/4" AG NW7,2	
	SNKDN7,8-1/4"AG	quick coupling with manual fuse R1/4"AG NW7,8	
	SVKDN,0-1/4"AG6K	quick coupling 6-edged with manual fuse NW7,8	
	G1/8"ÖS	G 1/8" eyelet screw	
	SVKDN7,8-TÜDN13	quick coupling DN 13x3,5mm, NW 7,8, manual fuse	
	SVKDN7,8-TÜD-N136K	quick coupling, 6-edged, DN 13x3,5mm NW7,8, manual fuse V2A	
	SNDN7,8TÜDN13	plug nipple 13 V2A	
	SNDN7,8TÜDN136K	plug nipple 6-edged, 13 V2A, 6-edged	
	SHP	safety hook for packer	

compressors			
	item number	article	
	B110/05	air output 60 l/min, tank volume 5 liters	
	B150/10	air output 85 l/min, tank volume 10l	
	B220/10	air output 140 l/min, tank volume 10l	

	C330/03	air output 200 l/min, tank volume 3 liters
	C330/24	air output 200 l/min, tank volume 24 liters
	C330/50	air output 200 l/min, tank volume 50 liters
	C330/100	air output 200 l/min, tank volume 90 liters
	C660/100	air output 400 l/min, tank volume 90 liters
	CSK330/03 silent	air output 200l/min, tank volume 3l
	CSK330/100 silent	air output 200l/min, tank volume 90l
	CSK330/24 silent	air output 200l/min, tank volume 24l
	CSK330/50 silent	air output 200l/min, tank volume 50l

ECR-GFK laminate		
	item number	article
	GFK1387-100	ECR GFK laminate 1387 g/m ² , roll width 34 cm up to DN 100
	GFK1387-125	ECR GFK laminate 1387 g/m ² , roll width 43 cm up to DN 125
	GFK1387-150	ECR GFK laminate 1387 g/m ² , roll width 52 cm up to DN 150
	GFK1387-200	ECR GFK laminate 1387 g/m ² , roll width 68 cm up to DN 200
	GFK1387-250	ECR GFK laminate 1387 g/m ² , roll width 87 cm up to DN 250
	GFK1387-1260	ECR GFK laminate 1387 g/m ² , roll width 126 cm
	GFK1081-100	ECR GFK laminate 1081 g/m ² , roll width 35 cm up to DN 100
	GFK1081-125	ECR GFK laminate 1081 g/m ² , roll width 43 cm up to DN 125
	GFK1081-150	ECR GFK laminate 1081 g/m ² , roll width 52 cm up to DN 150
	GFK1081-200	ECR GFK laminate 1081 g/m ² , roll width 68 cm up to DN 200
	GFK1081-1300	ECR GFK laminate 1081 g/m ² , roll width 127 cm

ProFlex Liner		
	item number	article
	ProFlex50	lineTEC ProFlex uncoated, DN 50
	ProFlex70100	lineTEC ProFlex uncoated, DN 70-100
	ProFlex100150	lineTEC ProFlex uncoated, DN 100
	ProFlex125150	lineTEC ProFlex uncoated, DN 125
	ProFlex150200	lineTEC ProFlex uncoated, DN 150
	ProFlex200250	lineTEC ProFlex uncoated, DN 200
	ProFlex250300	lineTEC ProFlex uncoated, DN 250

Carbolith PL resin		
	item number	article
	CarbolithPL-2K-Komp A-W	Carbolith PL 2K winter 10l bundle, 11,8 kg
	CarbolithPL-2K-Komp A-S	Carbolith PL 2K summer 10l bundle, 11,8 kg
	CarbolithPL-2K-Komp A	Carbolith PL component. A 20l bundle, 23,8 kg
	CarbolithPL-Komp B	Carbolith PL component. B 20l bundle with 18 kg
	CarbolithPL-Komp C	Carbolith PL component. C 1l bundle with 1 kg

CarboPur injections system		
	item number	article
	CarboPurWFAKart	CarboPur WFA-double cartridge component. A+B
	CarboPurWTKart	CarboPur WT-double cartridge component. A+B
	CarboLanKartW	CarboLan cartridge, white, 290 ml
	CarboLanKartS	CarboLan cartridge, black, 290 ml
	CarboLanBS	CarboLan bag, black, 600 ml

CarboPur injection system cartridge pistol		
	item number	article
	2K_VBA_400MREL	electric cartridge pistol for Side by Side double cartridge
	DDABVBE400	replacement battery pack for cartridge pistol
	2K_VBA_400MRDL	Pneumatic cartridge pistol for 2k double cartridge
	2KDDLmanuell	Manual cartridge pistol for double cartridge

CFT-proceeding (3-component-system)		
	item number	article
	CFTKOMPA	CFT Injections resin component A, 20 kg
	CFTKOMPB	CFT Injections resin component B, 24 kg
	CFTKOMPC	CFT Injections resin component C, 5 kg

car accessoires		
	item number	article
	SMA-16	spiral basket storeroom, 165 mm broad
	SMA-22	spiral basket storeroom, 195 mm broad
	SMA-32	spiral basket storeroom, 225 mm broad
	MAMA-190	machine stockroom , 190 mm broad (RAK 40/41, RIS 22)
	MAMA-230	machine stockroom , 230 mm broad
	MAMA-250	machine stockroom , 250 mm broad (Ridgid, Rowo, KaRo, RIS)

packer repair		
	item number	article
	REP2560	packer repair lateral NW 25-60 mm
	REP30100	packer repair lateral NW 30-100 mm
	REP50150	packer repair lateral NW 50-150 mm
	REP70200	packer repair lateral NW 70-200 mm
	REP100250	packer repair lateral NW 100-250 mm
	REP125300	packer repair lateral NW 125-300 mm
	REP200500	packer repair lateral NW 200-500 mm
	REP3001000	packer repair lateral NW 300-1000 mm

navigation ball			
	item number	article	diameter
	KH1/4K	Navigation Ball 1/4" 50mm ball	50mm
	KH1/8K	Navigation Ball 1/8" 40 mm ball	40mm
	KH1/4K60W22	navigation ball / 1/4" 60mm ball, 22 shaft	60mm
	M5K25	navigation ball / M6 25mm ball	25mm
	M5K20	navigation ball / M6 20mm ball	20mm